

(12)

(21) 2 282 782

(51) Int. Cl.⁶: **G07F 017/32, A63F 003/06**

(22) 17.09.1999

(30) 09/159,185 US 23.09.1998


(72) ADAMS, WILLIAM R. (US).

(71) ANCHOR GAMING,
G - 815 Pilot Road, LAS VEGAS, XX (US).

(74) SMART & BIGGAR

(54) DISPOSITIF DE JEUX DE HASARD AVEC AFFICHAGE ELECTROLUMINESCENT INTERACTIF
(54) GAMING DEVICE WITH INTERACTIVE ELECTROLUMINESCENT DISPLAY

(57) Gaming devices with electroluminescent illumination displays wherein the state of the electroluminescent display is changed in response to active input by a player and/or events occurring during the play of the game.



(72) ADAMS, WILLIAM R., US

(71) ANCHOR GAMING, US

(51) Int.Cl.⁶ G07F 17/32, A63F 3/06


(30) 1998/09/23 (09/159,185) US

(54) **DISPOSITIF DE JEUX DE HASARD AVEC AFFICHAGE**

ELECTROLUMINESCENT INTERACTIF

(54) **GAMING DEVICE WITH INTERACTIVE**

ELECTROLUMINESCENT DISPLAY



(57) Gaming devices with electroluminescent illumination displays wherein the state of the electroluminescent display is changed in response to active input by a player and/or events occurring during the play of the game.



ABSTRACT

Gaming devices with electroluminescent illumination displays wherein the state of the electroluminescent display is changed in response to active input by a player and/or events occurring during the play of the game.

GAMING DEVICE WITH INTERACTIVE ELECTROLUMINESCENT DISPLAY

The present invention is directed to gaming devices and, more particularly to gaming devices comprising interactive electroluminescent lighting displays .

BACKGROUND

5 Gaming devices, known in the art, are typically illuminated, while they are being played, and sometimes in an "attract mode". The "attract mode" is typically a repetitive sequence which is designed to attract potential players and passers-by to play the gaming device. Providing flashing lights and sounds in response to different events occurring during the play of a gaming device is also known.

10 Electroluminescent lamps have been utilized for different types of lighting such as point-of-purchase advertising displays. Electroluminescent lamps are desirable as they provide a very attractive form of lighting. Since previously known uses of electroluminescence have typically been in an attract mode, it would be desirable to utilize the desirable aspects of electroluminescent lights in a more interactive form with gaming devices.

SUMMARY OF THE INVENTION

15 Various embodiments of the present invention provide gaming devices with at least one electroluminescent display wherein the electroluminscent display is changed in response to active input by a player and/or events occurring during the play of the game. For example, the electroluminscent lighting displays can be changed, within the scope of the

present invention in response to the amount of a wager by a player, e.g. the placement of a maximum wager by a player, upon the occurrence of a certain outcome on a primary, secondary and/or subsequent random event, upon receiving certain input from a player to indicate the status of features of a game such as the paylines on a multiple payline slot machine, highlighting a particular game event or game payout, the activation of a secondary event, etc. As used herein, the word "changed" when used in reference to the state of an electroluminescent display device indicates that the display is extinguished, illuminated, or the illumination is modified, for example made brighter or dimmer.

BRIEF DESCRIPTION OF THE DRAWINGS

10 Figure 1 illustrates an electroluminescent payline used with one embodiment of the present invention.

Figure 2 illustrates one embodiment of the present invention.

Figure 3 illustrates a status display of one embodiment of the present invention.

15 Figure 4 illustrates a payout indicator of another embodiment of the present invention.

DETAILED DESCRIPTION

The various embodiments of the present invention combine the attractive features of electroluminescent lighting devices with the interactive excitement of gaming devices by providing gaming devices with interactive electroluminescent lighting which changes in response to active input by a player and/or events occurring during the play of the game, i.e. during the play mode of a gaming device. As used herein, the term "play mode" is meant to distinguish the active play of a gaming device from an "attract mode" wherein a game may be on a preprogrammed, continuous and/or repetitive lighting, sound, or demo sequence prior to the commencement of an actual game in order to attract players and potential players.

According to various embodiments of the present invention, electroluminescent lighting is changed in response to active input by a player or in response to events occurring during the play of a game. As used herein, the term "active input" is meant to indicate a conscious decision by a player which is intended to or has the ability to affect the outcome of game. "Active input", as used herein, does not include the initial decision of a player to simply play a particular game or gaming device, or the act of wagering the minimum wager required by the game or gaming device to initiate play. For example, the electroluminescent lighting displays can be changed within the scope of the present invention in response to the input of a player to hold certain cards, the input of a player to affect other indicia of a game such as selecting from available options, upon receiving certain other input from a player,

the wagering of a predetermined amount such as a maximum wager or a wager above some predetermined amount by a player, the occurrence of a certain outcome on a primary, secondary or subsequent random event, to indicate the status of features of a game such as the active paylines on a multiple payline slot machine or in conjunction with other
5 intermediate or final events occurring during the play or at the end of a game.

Figure 2 illustrates one embodiment of the present invention, though from the present description, those skilled in the art will appreciate that alternative embodiments may be utilized without departing from the scope of the present invention. The embodiment illustrated in Figure 1 comprises a gaming device 100 with a primary gaming unit comprising
10 a three-reel slot machine having primary display 110, control buttons including BET MAX button 130, CHANGE button 132, CASH/CREDIT button 134, BET ONE button 136, SPIN button 138, and SPIN THE WHEEL button 140. In addition, a coin slot 114, currency validator 118 and payout chute 120 are provided. Additionally a secondary event display 150 and a multiplier 160 are provided. While the illustrated gambling device is a very
15 popular gambling device with a secondary event, the advantages of the present invention can be enjoyed with gambling devices of other forms, including those without secondary events.

In accordance with this illustrated embodiment, electroluminescent lighting displays are provided in a ring 170 around the secondary even indicator, in a loop 182 around the left reel, a loop 184 around the center reel and a loop 186 around the right reel. These

electroluminescent lighting displays are changed when the secondary event is activated and/or when a predetermined symbol is displayed on one of the reel displays.

According to another preferred embodiment of the present invention, different paylines are provided with different electroluminescent lighting displays. Figure 2 illustrates a reel-type display 200 with five paylines. A first electroluminescent lighting display 205 illuminates a first payline in a first color, a second electroluminescent lighting display 210 illuminates a second payline in a second color, a third electroluminescent lighting display 215 illuminates a third payline in a third color, a fourth electroluminescent lighting display 220 illuminates a fourth payline in a fourth color, and a fifth electroluminescent lighting display 225 illuminates a fifth payline in a fifth color. These different paylines are illuminated in response to different images placed by a player. Additionally, the WINNER PAID window 230 and CREDITS window 240 can also be provided with electroluminescent lighting display. According to one preferred embodiment of the present invention, at least one electroluminescent lighting device is illuminated in order to indicate the paylines which are active.

According to another embodiment of the present invention, one or more electroluminescent lighting devices are illuminated and extinguished in sequence when a player obtains at least one of a plurality of outcomes on said gaming device. For example, if a player attains a certain payout, then one, and preferably a plurality of electroluminescent

devices are illuminated and extinguished in sequence. According to an alternative embodiment of the present invention, the state of the electroluminescent display device can be randomly controlled during the play of a gaming device. While this illustrated embodiment comprises five paylines with five different colors, the advantages of this aspect
5 of the present invention can be realized with two or more paylines.

Figure 3 illustrates another use of the electroluminescent lighting display on a status display useful with a gaming device. On the illustrated display a first status indicator 310 "INSTANT LANE BONUS" is illuminated when a lane bonus is available to a player. Electroluminescent lighting display 310 is then extinguished when a player
10 qualifies for a second feature and a second electroluminescent lighting display 320 indicating "SPINNERS PAY \$\$\$" is illuminated. Similarly, electroluminescent lighting displays for "MATCH THE SCORE BONUS" 330, "SPIN THE WHEELS" 340 AND "SPIN THE BONUS REEL" 350 are extinguished and illuminated sequentially. Figure 4 illustrates another aspect of the present invention wherein a display indicator comprises payout
15 indicators 410 which are illuminated with an electroluminescent lighting display when the player wins a specific award.

CLAIMS

1. A gaming device which is illuminated differently at different times during the play made of the gaming device by a player comprising:

at least one electroluminescent lighting device comprising at least two states of illumination, wherein the state of said electroluminescent lighting device is changed in response to active input by a player.

2. A gaming device according to claim 1 wherein the state of said electroluminescent lighting device is changed in response to at least one event occurring during the play of the gaming device.

3. A gaming device according to claim 1 wherein said active input comprises wagering an amount greater than the minimum amount required to play the gaming device.

4. A gaming device according to claim 1 wherein said active input comprises wagering the maximum wager by a player.

5. A gaming device according to claim 1 wherein said active input comprises player input to change, hold or select a displayed symbol.

6. A gaming device according to claim 1 wherein said active input comprises wagering a portion of winnings during the play mode of a game.

7. A gaming device according to claim 1 wherein said active input comprises the player depressing a button to select at least one of a plurality of options.

8. A gaming device with is illuminated differently at different times during the play of the gaming device by a player comprising:

at least one electroluminescent lighting device comprising at least two states of illumination, wherein the state of said electroluminescent lighting device is changed in conjunction with at least one event occurring during the play mode of the game.

9. A gaming device according to claim 8 wherein said event comprises the activation of a secondary event.

10. A gaming device according to claim 8 wherein said event comprises a win on at least one payline.

11. A gaming device according to claim 8 wherein said event comprises receipt of a randomly determined outcome which qualifies the player for an award.

12. A gaming device which is illuminated differently at different times during the play of the gaming device by a player comprising:

at least one electroluminescent lighting device comprising at least two states of illumination, wherein said electroluminescent lighting device illuminates at least one payline.

13. A gaming device according to claim 12 wherein said electroluminescent lighting device illuminates a plurality of paylines.

14. A gaming device according to claim 12 wherein said electroluminescent lighting device illuminates at least two different paylines with different colors.

15. A gaming device according to claim 8 wherein said electroluminescent lighting device is illuminated in response to input from a player.

16. A gaming device according to claim 8 wherein said event is randomly determined.

17. A gaming device according to claim 1 further comprising:
- means for receiving a wager;
- means for randomly determining at least one of a plurality of possible outcomes, said determining means providing at least one signal corresponding to the determined outcome;
- wherein said an electroluminescent lighting device is operatively linked to said determining means whereby said electroluminescent lighting device is changed in response to said signal.
18. A gaming device according to claim 8, wherein said electroluminescent lighting device is linked to a display which comprises at least one reel display.
19. A gaming device according to claim 8 wherein said electroluminescent lighting display which comprises at least three reels.
20. A gaming device according to claim 8 wherein said electroluminescent lighting display is linked to a display which comprises a video display.
21. A gaming device according to claim 8 further comprising a secondary gaming unit comprising means for displaying a randomly selected second indicia from a plurality of possible secondary indicia.

22. A gaming device according to claim 21 wherein said secondary gaming unit comprises a wheel.

23. A gaming device according to claim 1 further comprising a secondary gaming unit comprising means for displaying a randomly selected second indicia from a plurality of possible secondary indicia.

24. A gaming device according to claim 23 wherein said secondary gaming unit comprises a wheel.

C:\P558\#1\100\100-1\2\APPLICAT

FIG. 1





FIG. 2

200



16 507

5 WAYS TO WIN

SPINNERS

MATCH SCORE BONUS

BONUS REEL

310 320 340 350

FIG. 4

TIC-TAC-DISCO

WITH MAX COINS PLAYED
THIS SYMBOL ON ANY PAYLINE
PLAYS
BONUS GAME

WIN BONUS COINS FROM GAME BOARD ON WINNING TIC-TAC-DISCO COMBINATIONS ONLY.

TIC-TAC-DISCO	PAYS	TIC-TAC-DISCO	PAYS
3 SQUARES	500	6 SQUARES	50
4 SQUARES	100	7 SQUARES	25
5 SQUARES	75	8 SQUARES	20
		9 SQUARES	15

NO TIC-TAC-DISCO PAYS 10 COINS

FIG. 5

FIG. 6

FIG. 7

FIG. 8

FIG. 9

FIG. 10

FIG. 11

FIG. 12

FIG. 13

FIG. 14

FIG. 15

FIG. 16

FIG. 17

FIG. 18

FIG. 19

FIG. 20

FIG. 21

FIG. 22

FIG. 23

FIG. 24

FIG. 25

FIG. 26

FIG. 27

FIG. 28

FIG. 29

FIG. 30

FIG. 31

FIG. 32

FIG. 33

FIG. 34

FIG. 35

FIG. 36

FIG. 37

FIG. 38

FIG. 39

FIG. 40

FIG. 41

FIG. 42

FIG. 43

FIG. 44

FIG. 45

FIG. 46

FIG. 47

FIG. 48

FIG. 49

FIG. 50

FIG. 51

FIG. 52

FIG. 53

FIG. 54

FIG. 55

FIG. 56

FIG. 57

FIG. 58

FIG. 59

FIG. 60

FIG. 61

FIG. 62

FIG. 63

FIG. 64

FIG. 65

FIG. 66

FIG. 67

FIG. 68

FIG. 69

FIG. 70

FIG. 71

FIG. 72

FIG. 73

FIG. 74

FIG. 75

FIG. 76

FIG. 77

FIG. 78

FIG. 79

FIG. 80

FIG. 81

FIG. 82

FIG. 83

FIG. 84

FIG. 85

FIG. 86

FIG. 87

FIG. 88

FIG. 89

FIG. 90

FIG. 91

FIG. 92

FIG. 93

FIG. 94

FIG. 95

FIG. 96

FIG. 97

FIG. 98

FIG. 99

FIG. 100

FIG. 101

FIG. 102

FIG. 103

FIG. 104

FIG. 105

FIG. 106

FIG. 107

FIG. 108

FIG. 109

FIG. 110

FIG. 111

FIG. 112

FIG. 113

FIG. 114

FIG. 115

FIG. 116

FIG. 117

FIG. 118

FIG. 119

FIG. 120

FIG. 121

FIG. 122

FIG. 123

FIG. 124

FIG. 125

FIG. 126

FIG. 127

FIG. 128

FIG. 129

FIG. 130

FIG. 131

FIG. 132

FIG. 133

FIG. 134

FIG. 135

FIG. 136

FIG. 137

FIG. 138

FIG. 139

FIG. 140

FIG. 141

FIG. 142

FIG. 143

FIG. 144

FIG. 145

FIG. 146

FIG. 147

FIG. 148

FIG. 149

FIG. 150

FIG. 151

FIG. 152

FIG. 153

FIG. 154

FIG. 155

FIG. 156

FIG. 157

FIG. 158

FIG. 159

FIG. 160

FIG. 161

FIG. 162

FIG. 163

FIG. 164

FIG. 165

FIG. 166

FIG. 167

FIG. 168

FIG. 169

FIG. 170

FIG. 171

FIG. 172

FIG. 173

FIG. 174

FIG. 175

FIG. 176

FIG. 177

FIG. 178

FIG. 179

FIG. 180

FIG. 181

FIG. 182

FIG. 183

FIG. 184

FIG. 185

FIG. 186

FIG. 187

FIG. 188

FIG. 189

FIG. 190

FIG. 191

FIG. 192

FIG. 193

FIG. 194

FIG. 195

FIG. 196

FIG. 197

FIG. 198

FIG. 199

FIG. 200

FIG. 201

FIG. 202

FIG. 203

FIG. 204

FIG. 205

FIG. 206

FIG. 207

FIG. 208

FIG. 209

FIG. 210

FIG. 211

FIG. 212

FIG. 213

FIG. 214

FIG. 215

FIG. 216

FIG. 217

FIG. 218

FIG. 219

FIG. 220

FIG. 221

FIG. 222

FIG. 223

FIG. 224

FIG. 225

FIG. 226

FIG. 227

FIG. 228

FIG. 229

FIG. 230

FIG. 231

FIG. 232

FIG. 233

FIG. 234

FIG. 235

FIG. 236

FIG. 237

FIG. 238

FIG. 239

FIG. 240

FIG. 241

FIG. 242

FIG. 243

FIG. 244

FIG. 245

FIG. 246

FIG. 247

FIG. 248

FIG. 249

FIG. 250

FIG. 251

FIG. 252

FIG. 253

FIG. 254

FIG. 255

FIG. 256

FIG. 257

FIG. 258

FIG. 259

FIG. 260

FIG. 261

FIG. 262

FIG. 263

FIG. 264

FIG. 265

FIG. 266

FIG. 267

FIG. 268

FIG. 269

FIG. 270

FIG. 271

FIG. 272

FIG. 273

FIG. 274

FIG. 275

FIG. 276

FIG. 277

FIG. 278

FIG. 279

FIG. 280

FIG. 281

FIG. 282

FIG. 283

FIG. 284

FIG. 285

FIG. 286

FIG. 287

FIG. 288

FIG. 289

FIG. 290

FIG. 291

FIG. 292

FIG. 293

FIG. 294

FIG. 295

FIG. 296

FIG. 297

FIG. 298

FIG. 299

FIG. 300

FIG. 301

FIG. 302

FIG. 303

FIG. 304

FIG. 305

FIG. 306

FIG. 307

FIG. 308

FIG. 309

FIG. 310

FIG. 311

FIG. 312

FIG. 313

FIG. 314

FIG. 315

FIG. 316

FIG. 317

FIG. 318

FIG. 319

FIG. 320

FIG. 321

FIG. 322

FIG. 323

FIG. 324

FIG. 325

FIG. 326

FIG. 327

FIG. 328

FIG. 329

FIG. 330

FIG. 331

FIG. 332

FIG. 333

FIG. 334

FIG. 335

FIG. 336

FIG. 337

FIG. 338

FIG. 339

FIG. 340

FIG. 341

FIG. 342

FIG. 343

FIG. 344

FIG. 345

FIG. 346

FIG. 347

FIG. 348

FIG. 349

FIG. 350

FIG. 351

FIG. 352

FIG. 353

FIG. 354

FIG. 355

FIG. 356

FIG. 357

FIG. 358

FIG. 359

FIG. 360

FIG. 361

FIG. 362

FIG. 363

FIG. 364

FIG. 365

FIG. 366

FIG. 367

FIG. 368

FIG. 369

FIG. 370

FIG. 371

FIG. 372

FIG. 373

FIG. 374

FIG. 375

FIG. 376

FIG. 377

FIG. 378

FIG. 379

FIG. 380

FIG. 381

FIG. 382

FIG. 383

FIG. 384

FIG. 385

FIG. 386

FIG. 387

FIG. 388

FIG. 389

FIG. 390

FIG. 391

FIG. 392

FIG. 393

FIG. 394

FIG. 395

FIG. 396

FIG. 397

FIG. 398

FIG. 399

FIG. 400

FIG. 401

FIG. 402

FIG. 403

FIG. 404

FIG. 405

FIG. 406

FIG. 407

FIG. 408

FIG. 409

FIG. 410

FIG. 411

FIG. 412

FIG. 413

FIG. 414

FIG. 415

FIG. 416

FIG. 417

FIG. 418

FIG. 419

FIG. 420

FIG. 421

FIG. 422

FIG. 423

FIG. 424

FIG. 425

FIG. 426

FIG. 427

FIG. 428

FIG. 429

FIG. 430

FIG. 431

FIG. 432

FIG. 433

FIG. 434

FIG. 435

FIG. 436

FIG. 437

FIG. 438

FIG. 439

FIG. 440

FIG. 441

FIG. 442

FIG. 443

FIG. 444

FIG. 445

FIG. 446

FIG. 447

FIG. 448

FIG. 449

FIG. 450

FIG. 451

FIG. 452

FIG. 453

FIG. 454

FIG. 455

FIG. 456

FIG. 457

FIG. 458

FIG. 459

FIG. 460

FIG. 461

FIG. 462

FIG. 463

FIG. 464

FIG. 465

FIG. 466

FIG. 467

FIG. 468

FIG. 469

FIG. 470

FIG. 471

FIG. 472

FIG. 473

FIG. 474

FIG. 475

FIG. 476

FIG. 477

FIG. 478

FIG. 479

FIG. 480

FIG. 481

FIG. 482

FIG. 483

FIG. 484

FIG. 485

FIG. 486

FIG. 487

FIG. 488

FIG. 489

FIG. 490

FIG. 491

FIG. 492

FIG. 493

FIG. 494

FIG. 495

FIG. 496

FIG. 497

FIG. 498

FIG. 499

FIG. 500

FIG. 501

FIG. 502

FIG. 503

FIG. 504

FIG. 505

FIG. 506

FIG. 507

FIG. 508

FIG. 509

FIG. 510

FIG. 511

FIG. 512

FIG. 513

FIG. 514

FIG. 515

FIG. 516

FIG. 517

FIG. 518

FIG. 519

FIG. 520

FIG. 521

FIG. 522

FIG. 523

FIG. 524

FIG. 525

FIG. 526

FIG. 527

FIG. 528

FIG. 529

FIG. 530

FIG. 531

FIG. 532

FIG. 533

FIG. 534

FIG. 535

FIG. 536

FIG. 537

FIG. 538

FIG. 539

FIG. 540

FIG. 541

FIG. 542

FIG. 543

FIG. 544

FIG. 545

FIG. 546

FIG. 547

FIG. 548

FIG. 549

FIG. 550

FIG. 551

FIG. 552

FIG. 553

FIG. 554

FIG. 555

FIG. 556

FIG. 557

FIG. 558

FIG. 559

FIG. 560

FIG. 561

FIG. 562

FIG. 563

FIG. 564

FIG. 565

FIG. 566

FIG. 567

FIG. 568

FIG. 569

FIG. 570

FIG. 571

FIG. 572

FIG. 573

FIG. 574

FIG. 575

FIG. 576

FIG. 577

FIG. 578

FIG. 579

FIG. 580

FIG. 581

FIG. 582

FIG. 583

FIG. 584

FIG. 585

FIG. 586

FIG. 587

FIG. 588

FIG. 589

FIG. 590

FIG. 591

FIG. 592

FIG. 593

FIG. 594

FIG. 595

FIG. 596

FIG. 597

FIG. 598

FIG. 599

FIG. 600

FIG. 601

FIG. 602

FIG. 603

FIG. 604

FIG. 605

FIG. 606

FIG. 607

FIG. 608

FIG. 609

FIG. 610

FIG. 611

FIG. 612

FIG. 613

FIG. 614

FIG. 615

FIG. 616

FIG. 617

FIG. 618

FIG. 619

FIG. 620

FIG. 621

FIG. 622

FIG. 623

FIG. 624

FIG. 625

FIG. 626

FIG. 627

FIG. 628

FIG. 629

FIG. 630

FIG. 631

FIG. 632

FIG. 633

FIG. 634

FIG. 635

FIG. 636

FIG. 637

FIG. 638

FIG. 639

FIG. 640

FIG. 641

FIG. 642

FIG. 643

FIG. 644

FIG. 645

FIG. 646

FIG. 647

FIG. 648

FIG. 649

FIG. 650

FIG. 651

FIG. 652

FIG. 653

FIG. 654

FIG. 655

FIG. 656

FIG. 657

FIG. 658

FIG. 659

FIG. 660

FIG. 661

FIG. 662

FIG. 663

FIG. 664

FIG. 665

FIG. 666

FIG. 667

FIG. 668

FIG. 669

FIG. 670

FIG. 671

FIG. 672

FIG. 673

FIG. 674

FIG. 675

FIG. 676

FIG. 677

FIG. 678

FIG. 679

FIG. 680

FIG. 681

FIG. 682

FIG. 683

FIG. 684

FIG. 685

FIG. 686

FIG. 687

FIG. 688

FIG. 689

FIG. 690

FIG. 691

FIG. 692

FIG. 693

FIG. 694

FIG. 695

FIG. 696

FIG. 697

FIG. 698

FIG. 699

FIG. 700

FIG. 701

FIG. 702

FIG. 703

FIG. 704

FIG. 705

FIG. 706

FIG. 707

FIG. 708

FIG. 709

FIG. 710

FIG. 711

FIG. 712

FIG. 713

FIG. 714

FIG. 715

FIG. 716

FIG. 717

FIG. 718

FIG. 719

FIG. 720

FIG. 721

FIG. 722

FIG. 723

FIG. 724

FIG. 725

FIG. 726

FIG. 727

FIG. 728

FIG. 729

FIG. 730

FIG. 731

FIG. 732

FIG. 733

FIG. 734

FIG. 735

FIG. 736

FIG. 737

FIG. 738

FIG. 739

FIG. 740

FIG. 741

FIG. 742

FIG. 743

FIG. 744

FIG. 745

FIG. 746

FIG. 747</